


1: lift unit; 2: lift height detecting section; 3: running system; 4: traveling distance measuring section; 5: information section; 6: alarm section; 7: control device; 8: memory unit; 9: arithmetic processing unit 9


FIG. 2



s1: raise forks; s2: detect fork vertical position H2; s4: move forward the vehicle main body; s5: measure a forward distance S5;

09879995 56662860

FIG. 3



s6: set a cargo on the carriers; s7: start the rearward movement of vehicle main body; s8: prohibit the lowering movement of forks; s9: measure a rearward distance S2; S11: cancel the prohibition of lowering movement of the forks; end.

0987995 06404

FIG. 4






FIG. 4



101: lift unit; 2: rising start-up detecting section; 103: lift height detecting section; 4: running system; 5: traveling distance measuring section; 6: measurement execution designating section; 7: information section; 8: alarm section; 9: controller; 10: memory unit; 11: arithmetic processing unit.


FIG. 6



Start; s1: raise forks; s2: detect fork vertical position; s4: switch on sectionurement execution designating

means; s5: start the forward movement of vehicle main body; s6: sectionure a forward distance S1;

FIG. 7



s7: set a cargo on the carriers; s8: start the rearward movement of vehicle main body; s9: prohibit the lowering movement of forks; s10: sectionure a rearward distance S2; s11: cancel the prohibition of the lowering movement of forks; end.


FIG. 7

FIG. 8

KOKURA et al.
CARGO HANDLING VEHICLE
Filed : June 14, 2001
Darryl Mexic
8 of 41


Q64944

202-293-7060




064944-556690-10

FIG. 1




1: lift unit 201: lift height detecting section; 3: running system; 4: traveling distance measuring section; 5: information section; 6: alarm section; 7: controller; 8: memory unit; 9: arithmetic processing unit (movement control section); 10: cargo detecting section.

FIG. 10




Start; s1: raise forks; s2: detect fork vertical position H2; s3: move vehicle main body forward; s4: measure a forward distance S6: is a cargo set on forks?; s7: prohibit the lowering movement of forks; s8: move vehicle main body rearward; s9: measure a rearward distance; s10: cancel the prohibition of the lowering movement of forks; end.

FIG. 11



0987995-061401
FIG. 11


FIG. 12



301: lift unit; 2: lift height detecting section; 3: running system; 4: traveling distance measuring section; 5: information section; 6: alarm section; 7: controller; 8: memory unit 309: arithmetic processing unit (movement control section) 321: fork (cargo carrier); 324: vehicle main body; 331: cargo; H1: reference position; H2: vertical position; S1: forward distance; S2: rearward distance.

00079995-061401

FIG. 13




Start; s1: raise forks; s2: detect fork vertical position; s4: move forward vehicle main body; s5: measure a forward distance S1; s6: set a cargo on the cargo carriers (forks are raised and lowered); s7: move rearward vehicle main body; s8: prohibit the lowering movement of forks; s9: measure a rearward distance S2; s11: cancel the prohibition of the lowering movement of forks; end.

FIG. 13

FIG. 14

KOKURA et al.
CARGO HANDLING VEHICLE
Filed : June 14, 2001
Darryl Mexic
14 of 41

Q64944
202-293-7060




038-③

09879995-061401




FIG. 15



401: lift unit; 3: lift height detecting section; 4: running system; 5: traveling distance measuring section 406: control execution designating section 407: information section 408: alarm section; 410: memory unit 411: arithmetic processing unit (movement control section).


FIG. 16




s1: switch on control execution designating section; s2: prohibit the lowering movement of forks; s3: move rearward forks and vehicle main body; s5: stop forks and vehicle main body; s6: cancel the prohibition of the lowering movement of forks.

09879995-061401

FIG. 17




09879995-061401




501: lift unit; 2: lift height detecting section 503: running system; 4: traveling distance measuring section; 5: information section; 6: alarm section; 7: accelerator pedal; 8: control execution designating section; 9: memory unit; 11: arithmetic processing unit


FIG. 19



s1: release brake; s2: switch on control execution designating section; s3: depress accelerator pedal; s4: prohibit the lowering movement of forks; s5: move rearward forks and vehicle main body; s7: stop forks and vehicle main body; s8: cancel the prohibition of the lowering movement of forks.


098795-061401





60: lift unit; 2: lift height detecting section; 3: running system; 4: traveling distance measuring section; 5: lowering movement designating section; 6: controller; 7: information section; 8: alarm section; 9: control execution designating section; 10: memory unit; 11: arithmetic processing unit

FIG. 22



s1: release brake; s2: switch on control execution designating section; s3: switch the lift lever on for lowering movement of forks; s4: prohibit the lowering movement of forks; s5: move rearward forks and vehicle main body; s7: stop forks and vehicle main body; s8: cancel the prohibition of the lowering movement of forks; s9: lower forks.

0987995-061401

FIG. 23






FIG. 23

FIG. 24



701: lift unit; 702: reach unit; 703: lift height detecting section; 704: fork rearward distance calculating section; 705: running system; 706: vehicle body rearward distance calculating section; 707: control execution designating section; 708: controller; 708a: memory unit; 708b: arithmetic processing unit; 709: information section; 710: alarm section.


FIG. 25



s1: switch on a control execution designating section; S2: prohibit forks from lowering; S3: move the forks and masts rearward; S5: stop the operation of the forks and masts; S6: cancel the prohibition of the forks from lowering.

FIG. 25


FIG. 26



S1: release a brake; S2: switch on a control execution designating section; S3: switch on to lower a lift lever; S4: prohibit forks from lowering; S5: move the forks and masts, and a vehicle body rearward; S7: stop the operation of the forks and masts, and the vehicle body; S8: cancel the prohibition of the forks from lowering; S9: lower the forks.

09879995-061401

FIG. 27



S1: release a brake; S2: switch on a control execution designating section; S3: depress an accelerator pedal; S4: prohibit forks from lowering; S5: move the forks and masts, and a vehicle body rearward; S7: stop the operation of the forks and masts, and the vehicle body; S8: cancel the prohibition of the forks from lowering.

09879995-061401

FIG. 28




FIG. 28

SCANNED # 24

814: tilt driving section, 817a: arithmetic processing unit, 817b: memory unit, 831: lift unit, 832: reach unit, 833: lift height detecting section, 839: tilt detecting section, 845: information section, 846: lowering prohibition canceling switch, 847: vehicle body stopping section.




FIG. 29

FIG. 30A

FIG. 30B






FIG. 31



Start; s1: switch on a key switch; S2: various processings; S3: is a lift lowering switch switched on?; S4: is a lift height position equal to or greater than a predetermined value?; S6: is a fork tilt detected?; S7: output a lift lowering command; S8: switch on lowering valves; S9: information processing; S10: is a lowering prohibition canceling switch switched on?; S11: cancel the lift lowering command; S12: switch off the lowering valves; S13: is the key switch switched on?; End.

FIG. 32A





FIG. 32B



806
813
812
814
808
807
821
808
810
817
812
807
804
805
811
802
803
820
818
801
816

FIG. 34




FIG. 35




FIG. 34

FIG. 36




FIG. 36

FIG. 37

KOKURA et al.
CARGO HANDLING VEHICLE
Filed : June 14, 2001
Darryl Mexic
36 of 41

Q64944

202-293-7060




FIG. 37

FIG. 38




FIG. 39





FIG. 38

FIG. 40

930



09879995-051401

FIG. 41

KOKURA et al.
CARGO HANDLING VEHICLE
Filed : June 14, 2001
Darryl Mexic
39 of 41

Q64944

202-293-7060




FIG. 41 55652860

FIG. 42A




FIG. 42B




FIG. 43A




FIG. 43B




FIG. 44A




FIG. 44B




FIG. 45A




FIG. 45B




FIG. 46




FIG. 47A




FIG. 47B

